

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



Membership Publications/Services Standards Conferences Careers/Jobs

**IEEE Xplore®**  
 RELEASE 1.8

 Welcome  
 United States Patent and Trademark Office


» Se.

[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)
[Quick Links](#)

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced
- ☐ CrossRef

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

Print Format

Your search matched **19** of **1099723** documents.A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.**Refine This Search:**

You may refine your search by editing the current search expression or entering a new one in the text box.


☐ Check to search within this result set
**Results Key:****JNL** = Journal or Magazine   **CNF** = Conference   **STD** = Standard**1 The peak limiting of a baseband code-division multiplexed signal applied to a predistorted power amplifier***Mizuta, S.; Kawaguchi, H.; Akaiwa, Y.;*

Vehicular Technology Conference, 2001. VTC 2001 Spring. IEEE VTS

53rd, Volume: 3, 6-9 May 2001

Pages:1953 - 1957 vol.3

[\[Abstract\]](#)   [\[PDF Full-Text \(268 KB\)\]](#)   IEEE CNF
**2 On the degradation of OFDM-signals due to peak-clipping in optimal predistorted power amplifiers***Friese, M.;*

Global Telecommunications Conference, 1998. GLOBECOM 98. The Bridge to Core Integration. IEEE, Volume: 2, 8-12 Nov. 1998

Pages:939 - 944 vol.2

[\[Abstract\]](#)   [\[PDF Full-Text \(340 KB\)\]](#)   IEEE CNF
**3 Threshold IBO of HPA in the Predistorted OFDM Communication System***Ryu, H.-G.; Park, J.S.; Park, J.-S.;*

Broadcasting, IEEE Transactions on, Volume: 50, Issue: 4, Dec. 2004

Pages:425 - 428

[\[Abstract\]](#)   [\[PDF Full-Text \(424 KB\)\]](#)   IEEE JNL
**4 Optimum design of a predistortion RF power amplifier for multicarrier WCDMA applications***Jeonghyeon Cha; Jaehyok Yi; Kim, J.; Bumman Kim;*

Microwave Theory and Techniques, IEEE Transactions on, Volume: 52, Issue: 2, Feb. 2004

Pages:655 - 663

[\[Abstract\]](#)   [\[PDF Full-Text \(440 KB\)\]](#)   IEEE JNL

---

**5 Improvement of power efficiency of HPA by the PAPR reduction and predistortion**

*Heung-Gyoon Ryu; Tran Phuong Hoa; Kang Mi Lee; Sang-Woo Kim; Jin-Soo P*  
Consumer Electronics, IEEE Transactions on , Volume: 50 , Issue: 1 , Feb 200  
Pages:119 - 124

[\[Abstract\]](#)   [\[PDF Full-Text \(661 KB\)\]](#)   IEEE JNL

---

**6 Improved data predistortion and trellis coded modulation for the bandlimited nonlinear satellite link**

*Lim, J.-H.; Gelfand, S.B.; Krogmeier, J.V.;*  
MILCOM 2000. 21st Century Military Communications Conference  
Proceedings , Volume: 2 , 22-25 Oct. 2000  
Pages:1089 - 1093 vol.2

[\[Abstract\]](#)   [\[PDF Full-Text \(464 KB\)\]](#)   IEEE CNF

---

**7 A simplified predistorter for compensation of nonlinear distortion in OFDM systems**

*Sekchin Chang; Powers, E.J.;*  
Global Telecommunications Conference, 2001. GLOBECOM '01. IEEE , Volume  
5 , 25-29 Nov. 2001  
Pages:3080 - 3084 vol.5

[\[Abstract\]](#)   [\[PDF Full-Text \(363 KB\)\]](#)   IEEE CNF

---

**8 Thermal memory effects modeling and compensation in RF power amplifiers and predistortion linearizers**

*Boumaiza, S.; Ghannouchi, F.M.;*  
Microwave Theory and Techniques, IEEE Transactions on , Volume: 51 , Issue  
12 , Dec. 2003  
Pages:2427 - 2433

[\[Abstract\]](#)   [\[PDF Full-Text \(479 KB\)\]](#)   IEEE JNL

---

**9 Realistic power-amplifiers characterization with application to baseband digital predistortion for 3G base stations**

*Boumaiza, S.; Ghannouchi, F.M.;*  
Microwave Theory and Techniques, IEEE Transactions on , Volume: 50 , Issue  
12 , Dec. 2002  
Pages:3016 - 3021

[\[Abstract\]](#)   [\[PDF Full-Text \(547 KB\)\]](#)   IEEE JNL

---

**10 An FET-level linearization method using a predistortion branch FET**

*Min-Gun Kim; Chung-Hwan Kim; Hyun-Kyu Yu; Jaejin Lee;*  
Microwave and Guided Wave Letters, IEEE [see also IEEE Microwave and Wire  
Components Letters] , Volume: 9 , Issue: 6 , June 1999  
Pages:233 - 235

[\[Abstract\]](#) [\[PDF Full-Text \(56 KB\)\]](#) [IEEE JNL](#)

---

**11 Compensation of nonlinear distortions with memory effects in digit transmitters**

*Wang, T.; Ilow, J.;*

Communication Networks and Services Research, 2004. Proceedings. Second Annual Conference on , 19-21 May 2004

Pages:3 - 9

[\[Abstract\]](#) [\[PDF Full-Text \(368 KB\)\]](#) [IEEE CNF](#)

---

**12 Low-IF 5 GHz WLAN linearized transmitter using baseband digital predistorter**

*Helaoui, M.; Boumaiza, S.; Ghazel, A.; Ghannouchi, F.M.;*

Electronics, Circuits and Systems, 2003. ICECS 2003. Proceedings of the 2003 IEEE International Conference on , Volume: 1 , 14-17 Dec. 2003

Pages:260 - 263 Vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(1574 KB\)\]](#) [IEEE CNF](#)

---

**13 A consideration of phase distortion in linear power amplification of QPSK and two tone sinusoidal stimuli**

*Staudinger, J.;*

Wireless Communications Conference, 1997., Proceedings , 11-13 Aug. 1997

Pages:105 - 109

[\[Abstract\]](#) [\[PDF Full-Text \(360 KB\)\]](#) [IEEE CNF](#)

---

**14 A 174 W high-efficiency GaN HEMT power amplifier for W-CDMA base station applications**

*Joshin, K.; Kikkawa, T.; Hayashi, H.; Maniwa, T.; Yokokawa, S.; Yokoyama, M.; Adachi, N.; Takikawa, M.;*

Electron Devices Meeting, 2003. IEDM '03 Technical Digest. IEEE International 10 Dec. 2003

Pages:12.6.1 - 12.6.3

[\[Abstract\]](#) [\[PDF Full-Text \(273 KB\)\]](#) [IEEE CNF](#)

---

**15 Doherty amplifier with DSP control to improve performance in CDM operation**

*Yu Zhao; Iwamoto, M.; Larson, L.E.; Asbeck, P.M.;*

Microwave Symposium Digest, 2003 IEEE MTT-S International , Volume: 2 , 8 June 2003

Pages:687 - 690 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(335 KB\)\]](#) [IEEE CNF](#)

---

[1](#) [2](#) [Next](#)

---

